

White Paper

SAP Integration Methods

Choosing the Best Method of Integrating BarTender with SAP



Choosing the Best Method of Integrating BarTender with SAP

Print from within BarTender or SAP

When selecting a method of integrating BarTender's label printing functions with SAP, the primary consideration is whether you want to have the print job output by BarTender or SAPScript. (Note that, when printing from BarTender, you can still have SAP trigger and control the print job. In fact, your users don't even have to see BarTender or know that it's running.)

SAP Server Load Considerations

Both print methods can be used to satisfy a variety of advanced labeling requirements. However, if you want to minimize the load on the SAP server, you should consider installing Commander and BarTender on a separate PC from SAP. You would use Commander to control BarTender and read from either SAP-generated IDocs or BAPI-generated text files (as described in the "Printing from BarTender" section). This also reduces the SAP server load by removing the need to run any SAPScript.

Printing from BarTender

When you print from BarTender, you get access to three methods of importing label data and three means of controlling BarTender.

Data Source Options

IDoc File

Within the ALE component of the SAP system, the user can choose an existing IDoc or create a new IDoc that contains the data to appear on the label. The user also defines within ALE the transaction(s) that will cause the IDoc to be generated and the destination directory into which to place the IDoc file.

BAPI-Generated Flat, Text File

Within SAP, a BAPI can be written using ABAP to export a flat text file.

SAPScript-Generated Flat, Fixed-Width Text File

A SAPScript report can be designed to generate a flat, fixed-width text file that contains the data to be printed on the label. (SAP can be configured to run this report any time label printing is desired.)

BarTender Control Options

Commander

Commander can be configured to monitor a folder for the incoming data files, which can

be any of the three types mentioned above. When detected, they are passed to BarTender, along with instructions on which label format to print and which printer to print to.


ActiveX Automation

The SAP system can be configured to make ActiveX calls whenever label printing is desired. This can be used to control BarTender and specify the label format, printer, and data to be printed.

Command Line

The SAP system can be configured to execute a command line to specify and launch BarTender print jobs. The command lines can specify the label format, desired printer, and label data source.

Printing using SAPScript



- 1) Design a label format in BarTender, with the printer settings set up properly for your desired printer.
- 2) Export the label format from BarTender in SapScript ITF (Internal Text Format). This template consists of a mix of printer commands with place holder tags to mark where the data fields are to be filled in by SAPScript. (The appropriate Seagull printer driver must be available when generating the ITF file. However, not all printer languages are compatible with ITF. Check with Seagull for a list of compatible printer drivers and models.)
- 3) Import the ITF file into SAPScript.
- 4) The SAP system can be configured to run the appropriate SAPScript report whenever label printing is desired. The SAPScript reporting engine then replaces the place holder tags with the appropriate label data and sends the resulting code to the desired printer.

Available Seagull White Papers

- Integration Overview
- The Advantage of "Drivers by Seagull"
- Automated BarTender Control from Other Applications
- · Commander Enterprise Integration Utility
- Understanding How BarTender Reads SAP R/3 Intermediate Documents
- · BarTender Enterprise Licensing with the Seagull License Server

For downloadable versions, visit:

www.seagullscientific.com/aspx/whitepapers.aspx

World Headquarters (USA):

sales@seagullscientific.com

Sales: 800-758-2001 (USA & Canada) 425-641-1408 (Outside USA & Canada) Tech Support: 425-641-1408 Fax: 425-641-1599

Europe:

Sales: +34 91 435 25 25 (Main office) +44 (0) 1926 428746 (UK branch) Tech Support: +34 91 435 55 45 Fax: +34 91 578 05 06 eurosales@seagullscientific.com

